



奇茂 Keemal  
电动车

绿色出行·精雕细琢



国家电摩目录一级目录



国家强制认证

国标电动自行车3C资质

电动摩托车工信部目录3C资质

电动轻便摩托车3C资质

奇茂电动车品牌代言人：

陈玲



Champion Quality  
Champion endorsement

Keemal电动车 | 产品手册



# 公司简介

## COMPANY PROFILE

Shaoxing Keemal Technology Co., Ltd brand LVDIAO electric car is a professional electric vehicle sales. Production and repair of the supporting service company, the company has always been committed to the sports bicycle, environmental protection and energy-saving electric vehicles and other intelligent and low-carbon transportation tools research and development and professional manufacturing. Since the establishment of the company, in line with a reasonable price, excellent service, high-end products for the market leading, adhere to the integrity of the business philosophy, the company's main products: electric bicycles, electric motorcycles, simple electric vehicles. The company has a professional technical elite team advanced production inspection and testing equipment, is a collection of professional development, development, production, sales as one of the enterprise company with strong technical strength accumulated years of rich practical experience, advancing with The Times, the new

The purpose of the company is: reputation first, quality first, service first

In the process of development, the company adheres to the product as the fundamental, committed to the continuous innovation and

improvement of products, with the first-class research and development strength and advanced production lines to enrich the products to meet the needs of different consumer groups; and through strict quality testing, through the use of "LVDIAO" products to improve the service system, to establish te star service station in the industry and lead the improvement of the service level of the whole industry.

LVDIAO electric vehicle to obtain the national level motorcycle enterprise catalog qualification, 3C certification enterprise, national standard electric bicycle certificate, with many honors of LVDIAO, always take the product as the concept, the use of years of motorcycle manufacturing experience, to create a people affordable good car.



绍兴奇茂科技有限公司  
keemal Technology Co.,Ltd

浙江省（绍兴市）外国高端人才集聚区东区  
11栋3层、4层



3rd and 4th floors, Building 11, East District, Foreign High end Talent Cluster Zone, Shaoxing City, Zhejiang Province



# Star cow E10



●  
Piano  
black

●  
Chameleon  
purple

●  
Dream  
gold

●  
Galaxy  
ash

●  
Taft silk  
white

## 配置参数 CONFIGURATION PARAMETERS

motorcycle type	Star cowE10(60/72)	tyre	jiandan300-10 vacuum tire
length, width and height	1710×680×1130MM	Front shock absorber	The 27-tube hydraulic front shock absorption
Foot pedal gear distance	Length 410MM wide 380MM	Rear shock absorber	30-tube hydraulic rear damping
controller	Jixiang 12-tube 32A module controller	appearance	LCD HD large-screen instrument
electrical machinery	Gemma215-27H 800W motor	the light	Colorful running water lamp of a lamp+ lens headlight
guard against	Dual remote control alarm	cushion	High-density frosted skin for comfortable cushion
theft braking	Front 180 disc brake back 180 disc brake	Other selling points	Safety P file, one-button repair, USB mobile phone charging, modified single support



# Rice drill



- Fashion ash
- pearl white
- Volcanic purple
- Apricot powder green
- The interesting brown orchid
- Brown

## 配置参数 CONFIGURATION PARAMETERS

motorcycle type	Rice drill(48/60)	tyre	275-10 vacuum tire
length, width and height	1800×380×1040MM	Front shock absorber	The 27-tube hydraulic front shock absorption
Foot pedal gear distance	Length 420MM wide 380MM	Rear shock	The 24-tube singlepipe absorberhydraulic rear shock absorption
controller	Jixiang 9-tube controllerJemma	appearance	LCD digital instrument
electrical machinery	21521H500W motor	the light	LFD lens headlights + of a lampambient lights
guard against theft	Dual remote control anti-theft device	cushion	Coffee color high density comfortable cushion
braking	Front 180 disc brake rear 110 aluminum drum brake	Other selling points	Optional back or tail box





model	JS1800DZH-2
name	2.0 meters of three doors
overall dimensions of a car	3490*1260*1430

essential parameter

name	model
rear axle	930-200 differential rear axle
electrical machinery	The 1,800 W motor
controller	30 Tube controller
tyre	Front 325-16 and rear 400-12
damping	Hydraulic internal spring aluminum damping
Add special configuration	

Add special configuration

number	name
16	950 Fangtou Longxin rear bridge plus 130 yuan,
17	950 Changge big change file plus 520 yuan, 950 Longxin big change file rear bridge plus 420 yuan
18	220 small full floating square head small shift plus 240 yuan, oil brake plus 200 yuan.
19	220 big all floating big change file plus 570 yuan, oil brake plus 200 yuan.
20	Back wheel 450-12 ordinary plus 30 yuan / strip
21	Back wheel 500-12 ordinary plus 60 yuan / strip
22	Front wheel 326-16 Chaoyang tire plus 60 yuan / piece
23	Back ar 450-12 Chaoyang tire plus 90 yuan / strip
24	Rear wheel 500-12 Chaoyang tire plus 120 yuan / piece
25	40 * 50 square pipe project payment plus 180 yuan
26	DaTai small two-gear freight shift mechanical brake rear axle, 72V six-phase controller 1280W motor plus 620 yuan.1,500 W motor plus 720 yuan.
27	220 floating freight large variable gear mechanical brake rear axle, 72V six-phase controller 1500W motor plus 960 yuan. 2000W-2500W motor plus 1040 yuan. Oil brake plus 200 yuan
28	250 large variable gear 72V six-phase controller, 1500W motor plus 1040 yuan, 2000W-2500W motor plus 1120. Oil brake plus 200 yuan.
29	Change datai kit: ordinary motor, rear axle, controller minus 1000 yuan
30	

Add special configuration

number	name
1	Aluminum outer spring shock absorption plus 30 yuan , 2.0 meters car bottom plate 3CM plus 180 yuan.
2	Aluminum outer spring shock absorption, front ring plus thick shaft plus 70 yuan
3	Aluminum outer spring plus wide joint plate, exchange ancient plus brake plus 100 yuan, 450 front wheel plus 30 yuan.
4	2.2 m * 1.2 m plus 50 yuan
5	2.2 m * 1.3 m plus 100 yuan
6	2.3 m * 1.3 m plus 150 yuan
7	2.5 m * 1.3 m plus 250 yuan
8	Single trough steel plus 60 yuan
9	Double-channel steel plus 230 yuan
10	Double groove steel 2.2 meters * 1.2 meters plus 300 yuan
11	Double groove steel 2.2 meters * 1.3 meters plus 350 yuan
12	Double groove steel 2.5 meters * 1.3 meters plus 500 yuan
13	2200W Fangyu motor (magnetic steel 83 high coil 12 slot ) plus 60 yuan, Songzheng 30 tube controller plus 20 yuan, 2200W Sulong motor (magnetic steel 80 high coil 24 slot)
14	2500W-3000W Fangyu motor plus 120 yuan (magnetic steel 90 high), ZTO 36 tube controller plus 60 yuan.36 tube loose positive controller plus 120
15	950 Changsong round head no. 2 rear bridge add 260 yuan



绍兴奇茂科技有限公司

keemal Technology Co.,Ltd

国际运营中心地址（绍兴）：浙江省绍兴市外国高端人才集聚区东区11号楼3、4楼

International Operations Center (Shaoxing):+8613809686114

3rd and 4th floors, Building 11, East District, Foreign High end Talent Cluster Zone, Shaoxing City, Zhejiang Province

国际运营中心地址（义乌）：浙江省义乌市稠州北路167号6楼

International Operations Center (Yiwu):+8613216663626

6th Floor, No. 167 Chouzhou North Road, Yiwu City, Zhejiang Province

东非国际运营中心地址（肯尼亚）：商业湾广场购物中心LGC63/64/65楼，沃鲁因大街肯尼亚内罗毕

East Africa International Operations Center (Kenya):+254729167155

Floor LGC63/64/65 Business Bay Square Mall. General Waruinge Street,Nairobi Kenya

西非国际运营中心地址（加纳）：丹索曼南马特内齐亚街A314/14号地区阿克拉西区

West Africa International Operations Center (Ghana) :+233 53559 3838

Address 4:A314/14 Matenezia Street , Dansoman South

District Accra West Region Accra Ghana



Keemal technology enhances life